

$$\begin{aligned}
 y &= x^2 + bx + c \\
 &= x^2 + 2 \cdot \frac{b}{2}x + c \\
 &= \underbrace{x^2 + 2 \cdot \frac{b}{2}x + \left(\frac{b}{2}\right)^2}_{\left(x + \frac{b}{2}\right)^2} - \left(\frac{b}{2}\right)^2 + c \\
 &= \left(x + \frac{b}{2}\right)^2 - \left(\frac{b}{2}\right)^2 + c \quad \left| + \left(\frac{b}{2}\right)^2 - c \right. \\
 y + \left(\frac{b}{2}\right)^2 - c &= \left(x + \frac{b}{2}\right)^2 \quad |(\text{Scheitelpunktform}) \\
 y - y_S &= (x - x_S)^2 \\
 S(x_S; y_S) &\text{ bzw. } S\left(-\frac{b}{2}; \left(\frac{b}{2}\right)^2 - c\right)
 \end{aligned}$$

$$\begin{pmatrix}
 \boxed{\begin{matrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{matrix}} & & 0 & & 0 \\
 & \boxed{\begin{matrix} b_{11} & b_{12} & b_{13} \\ b_{21} & b_{22} & b_{23} \\ b_{31} & b_{32} & b_{33} \end{matrix}} & & & 0 \\
 & & & \boxed{\begin{matrix} c_{11} & c_{12} \\ c_{21} & c_{22} \end{matrix}} & \\
 0 & & 0 & &
 \end{pmatrix}$$